

Web Images Videos Maps News Shopping Gmail more ▼

Web History | Search settings | Sign in

Google

(servers database (track or record or log) (free or unused or available) (space or storage) - ... Search

Advanced search

About 2,000,000 results (0.18 seconds)

Advanced search

Everything

Images

Videos

More

Arlington, VA

Change location

Show search tools

6 Managing Database Storage

The online redo log files **record** all changes made to the **database**. (A **database not** configured to archive redo logs is said to be in ... Compacting **storage** attempts to recover **unused** fragmented **free space** in the **database**. SPACE_AVAILABLE indicates the **space available** for storing new backups and archived ...
download.oracle.com/docs/cd/B25326_01/doc/.../storage.htm
- Cached

NTFS - Wikipedia, the free encyclopedia

The support of EFS is **not available** in Basic, Home and MediaCenter versions of manage **free space** allocation, satisfy BIOS expectations, **track** bad and must be present in each MFT **record**, except **unused records** that are just "Storage improvements in Windows Vista and Windows Server 2008" (PowerPoint). ...
en.wikipedia.org/wiki/NTFS - Similar

Database - Wikipedia, the free encyclopedia

Storage engine—This component stores and retrieves data from secondary ...
en.wikipedia.org/wiki/Database - Cached - Similar

Show more results from wikipedia.org

DPM 2007 Error Code Catalog

Dec 1, 2009 ... The DPM protection agent is no longer **tracking** changes on <protected **server** If the primary DPM **server database** is protected, DPM does **not** have sufficient **storage space available** on the recovery 1) Check the recent DPMAC source **records** in the application event log on <**server name**>. ...
technet.microsoft.com/en-us/library/7b7f5681.aspx - Cached - Similar

Exchange Server 2003 Daily Operations

Exchange **Server 2003** diagnostic **logging records** significant ...
technet.microsoft.com/en-us/.../fb124456(EXCHG.85).aspx - Cached - Similar

PostgreSQL: Documentation: Manuals:

PostgreSQL 8.4: Database File ...

Database File Layout. This section describes the **storage** format at the ... postmaster.pid, A lock file **recording** the current **server** PID and shared memory segment ID (**not** ... which stores information about **free space available** in the relation. The **free space** map is stored in a file named with the **filenode number** ...
www.postgresql.org/docs/8.4/static/storage-file-layout.html - Cached - Similar

SharkSpace Hosting Glossary

If you're **not** familiar with web hosting or the internet you most likely wont ... **Disk Space (Storage Space)**. The amount of included **space** on the **servers** ... SharkSpace has a **track record** spanning several years of reliable web hosting. and is among the better tools **available** for working with **MySQL databases**. ...

www.sharkspace.com/hosting-glossary.html -

Cached - Similar

SQL Server 2005 Architecture

Oct 18, 2008 ... The fundamental unit of data **storage** in SQL **Server** is the page. Managing Extent Allocations and **Free Space** The SQL **Server** 2005 data ... It is used when the **Database Engine** has to find a page with **free space available** to The format of **log records** and pages is **not** constrained to follow the ...

www.scribd.com/doc/10000000/SQL-Server-2005-Architecture -

Cached - Similar

MS SQL Server :: Space Available For Database

0.00MB

(urgent); Flush The **Database For Free Space**; Could **Not** Allocate **Space** ... I'm thinking that by reducing the **record** length, **not** only do I save **space** on the **unused** data, ... Can anyone tell me if I'm on the right **track** here????? View Replies ! I need to be able to obtain the **storage space** used for **database log** ...

www.bigresource.com/MS_SQL-space-available-for-database-0-00MB-jPB7p3Lv.html -

Cached - Similar

Full recovery mode DB - Backup and Shrink

Transaction log

10 posts - 8 authors - Last post Jan 12, 2009

It breaks the **log** chain and means that you will **not** be able to restore to ... Currently on the **server** there is only a full backup of all **dbs** once a day. ... **log records** and makes the **space** in the **log** **available** for reuse. Shouldn't the TLog backup have reduced and reallocated that **unused space**? ...

www.sqlservercentral.com/Forums/FindPost474775.aspx -

Similar

Tip: These results include the word "not". [Show results that include only "of"](#).

1 2 3 4 5 6 7 8 9 10

[Next](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)